


TYPE 108D

Type 108D is a grommet shape sensor suitable for use in applications where there is a need for easy fastening of the sensor to the measured device (electrical motor/machine ect.).

Type 108D is available in a variety of sizes, material and options to meet users' specific requirements, including:

- Sensor Type
- Grommet dimensions
- Grommet material
- Cable Type
- Cable Length



Michshur S.Z. (1984) Ltd.
8 Hagavish St.
P.O.B. 1951 Holon 5881614
ISRAEL
Phone: 972-3-6508585 Fax: 972-3-6508586

HOW TO ORDER

TABLE NO

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

EXAMPLE

ORDER NO 108D

P	12	06	2	3	T	2000	S
---	----	----	---	---	---	------	---

Example Order No. = Type 108D P (for RTD) ; 15 mm Outside diameter ; 8 mm Inside diameter; grommet material - copper ; 3-wire system ; teflon cable ; 2000 mm cable length; standard calibration.

Table 1. Sensor Type	
Single	
K	
J	
T	
E	
N	
P (for RTD)	
O (other)	

Table 2. Outside Diameter "OD"
Insert "OD" in mm. (2 digit)

Table 3. Inside Diameter "ID"
Insert "ID" in mm. (2 digit)

Table 4. Grommet Material	
Order	Description
2	Copper
0	Other

Table 5A. Measuring Junction (for T/C only)	
Order	Description
G	Grounded
U	Ungrounded

Table 5B. Wiring System (for RTD'S only)	
Order	Description
2	2-wire system
3	3-wire system
4	4-wire system

Table 6. Cable Type	
Order	Description
.P	PVC
T	Teflon-TFE
G	Glass Fiber
S	Silicon Rubber
GS	Glass Fiber +Metal Braid
TS	Teflon-TFE + Metal Braid

Table 7. Cable Length "L"
Insert Length in mm

Table 8. Sensor Accuracy	
Order	Description
S	Standard
SC	Special Calibration